

KeyError at /

'topic_id'

Request Method: POST
Request URL: http://tuerstatus.fablab-luebeck.de/
Django Version: 1.11.7
Exception Type: KeyError
Exception Value: 'topic_id'
Exception Location: ./tuerstatus/discourse.py in create_topic, line 23
Python Executable: /usr/local/bin/uwsgi
Python Version: 2.7.14
Python Path: ['',
'/usr/local/lib/python2.7.zip',
'/usr/local/lib/python2.7',
'/usr/local/lib/python2.7/plat-linux2',
'/usr/local/lib/python2.7/lib-tk',
'/usr/local/lib/python2.7/lib-old',
'/usr/local/lib/python2.7/lib-dynload',
'/usr/local/lib/python2.7/site-packages']
Server time: Di, 10 Apr 2018 11:25:38 +0200

Traceback [Switch to copy-and-paste view](#)

/usr/local/lib/python2.7/site-packages/django/core/handlers/exception.py in inner

```
41.         response = get_response(request) ...
```

► Local vars

/usr/local/lib/python2.7/site-packages/django/core/handlers/base.py in _get_response

```
187.         response = self.process_exception_by_middleware(e, request) ...
```

► Local vars

/usr/local/lib/python2.7/site-packages/django/core/handlers/base.py in _get_response

```
185.         response = wrapped_callback(request, *callback_args, **callback_kwargs) ...
```

► Local vars

./tuerstatus/views.py in index

```
114.         handle_new_date(request) ...
```

► Local vars

./tuerstatus/views.py in handle_new_date

```
331.         update_forum() ...
```

► Local vars

./tuerstatus/views.py in update_forum

```
610.         d.topic_id = forum.create_topic(title, text, CATEGORY_ID) ...
```

► Local vars

./tuerstatus/discourse.py in create_topic

```
23.         return response['topic_id'] ...
```

► Local vars

Request information

USER Natascha

GET No GET data

POST

Variable	Value
datepicker	u'10.04.2018 12:30 - 10.04.2018 17:00'
cncd	u'0'
elektro	u'0'
laser	u'0'
titel	u''
ulti	u'0'
textillab	u'0'

Variable	Value
sla	u'0'
regrap	u'0'
labType	u'1'
cnc	u'0'
starttime	u'12:25'
date	u'2018-04-10'
details	u''
csrfmiddlewaretoken	u'o8iM2Yhxa0vbG2vpBEEAuKy3Vt1dErA43K2Dzscw0hkIp1fPVR4wnty4GxwE7XL'
endtime	u'17:00'
id	u''
3d	u'0'

FILES

No FILES data

COOKIES

Variable	Value
csrf_token	'quKseS80EM971Rwn3pc40g9NAhBvR7dV56ujLm3H0MVgndmhGpy2T4iJuNeRNAC'
sessionid	'3xb1ih6qy7bcxpb65mtjhi5scrV7nz355'

META

Variable	Value
CONTENT_LENGTH	'285'
CONTENT_TYPE	'application/x-www-form-urlencoded'
CSRF_COOKIE	'quKseS80EM971Rwn3pc40g9NAhBvR7dV56ujLm3H0MVgndmhGpy2T4iJuNeRNAC'
HTTP_ACCEPT	'text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8'
HTTP_ACCEPT_ENCODING	'gzip, deflate'
HTTP_ACCEPT_LANGUAGE	'de,de-DE;q=0.8,en-US;q=0.5,en;q=0.3'
HTTP_CONNECTION	'Keep-Alive'
HTTP_COOKIE	'csrf_token=quKseS80EM971Rwn3pc40g9NAhBvR7dV56ujLm3H0MVgndmhGpy2T4iJuNeRNAC; sessionid=3xb1ih6qy7bcxpb65mtjhi5scrV7nz355'
HTTP_DNT	'1'
HTTP_HOST	'tuerstatus.fablab-luebeck.de'
HTTP_REFERER	'http://tuerstatus.fablab-luebeck.de/'
HTTP_UPGRADE_INSECURE_REQUESTS	'1'
HTTP_USER_AGENT	'Mozilla/5.0 (Android 6.0.1; Mobile; rv:59.0) Gecko/59.0 Firefox/59.0'
HTTP_X_FORWARDED_FOR	'89.15.237.170'
HTTP_X_FORWARDED_HOST	'tuerstatus.fablab-luebeck.de'
HTTP_X_FORWARDED_SERVER	'tuerstatus.fablab-luebeck.de'
PATH_INFO	u''
QUERY_STRING	''
REMOTE_ADDR	'172.17.0.1'
REMOTE_PORT	'46794'
REQUEST_METHOD	'POST'
REQUEST_URI	('/')
SCRIPT_NAME	u''
SERVER_NAME	'd6d038afc297'
SERVER_PORT	'80'
SERVER_PROTOCOL	'HTTP/1.1'
WSGI_ROUTER	'http'
uwsgi.core	1
uwsgi.node	'd6d038afc297'
uwsgi.version	'2.0.16'
wsgi.errors	<open file 'wsgi_errors', mode 'w' at 0x7f8abeafa50>
wsgi.file_wrapper	''
wsgi.input	<uwsgi._Input object at 0x7f8ab1a66888>
wsgi.multiprocess	True
wsgi.multithread	True
wsgi.run_once	False
wsgi.url_scheme	'http'
wsgi.version	(1, 0)

Settings

Using settings module CustomTuer.settings

Setting	Value
ABSOLUTE_URL_OVERRIDES	{}
ADMINS	[]
ALLOWED_HOSTS	['127.0.0.1', 'tuerstatus.fablab-luebeck.de', '*']
APPEND_SLASH	True
AUTHENTICATION_BACKENDS	['django.contrib.auth.backends.ModelBackend']
AUTH_PASSWORD_VALIDATORS	u'*****'
AUTH_USER_MODEL	u'auth.User'
BASE_DIR	('/src')
CACHES	{u'default': {u'BACKEND': u'django.core.cache.backends.locmem.LocMemCache'}}
CACHE_MIDDLEWARE_ALIAS	u'default'
CACHE_MIDDLEWARE_KEY_PREFIX	u'*****'
CACHE_MIDDLEWARE_SECONDS	600
CSRF_COOKIE_AGE	31449600
CSRF_COOKIE_DOMAIN	None
CSRF_COOKIE_HTTPONLY	False
CSRF_COOKIE_NAME	u'csrf_token'
CSRF_COOKIE_PATH	u''
CSRF_COOKIE_SECURE	False
CSRF_FAILURE_VIEW	u'django.views.csrf.csrf_failure'
CSRF_HEADER_NAME	u'HTTP_X_CSRFTOKEN'
CSRF_TRUSTED_ORIGINS	[]

Setting	Value
CSRF_USE_SESSIONS	False
DATABASES	{'default': {'ATOMIC_REQUESTS': False, 'AUTOCOMMIT': True, 'CONN_MAX_AGE': 0, 'ENGINE': 'django.db.backends.mysql', 'HOST': '172.17.0.1', 'NAME': 'tuerstatus', 'OPTIONS': {'read_default_file': '/etc/mysql/my.cnf'}, 'PASSWORD': u'*****', 'PORT': '3306', 'TEST': {'CHARSET': None, 'COLLATION': None, 'MIRROR': None, 'NAME': None}, 'TIME_ZONE': None, 'USER': 'tuerstatus'}}
DATABASE_ROUTERS	[]
DATA_UPLOAD_MAX_MEMORY_SIZE	2621440
DATA_UPLOAD_MAX_NUMBER_FIELDS	1000
DATETIME_FORMAT	u'N j, Y, P'
DATETIME_INPUT_FORMATS	[u'%Y-%m-%d %H:%M:%S', u'%Y-%m-%d %H:%M:%S.%f', u'%Y-%m-%d %H:%M', u'%Y-%m-%d', u'%m/%d/%Y %H:%M:%S', u'%m/%d/%Y %H:%M:%S.%f', u'%m/%d/%Y %H:%M', u'%m/%d/%Y', u'%m/%d/%y %H:%M:%S', u'%m/%d/%y %H:%M:%S.%f', u'%m/%d/%y %H:%M', u'%m/%d/%y']
DATE_FORMAT	u'N j, Y'
DATE_INPUT_FORMATS	[u'%Y-%m-%d', u'%m/%d/%Y', u'%m/%d/%y', u'%b %d %Y', u'%b %d, %Y', u'%d %b %Y', u'%d %b, %Y', u'%B %d %Y', u'%B %d, %Y', u'%d %B %Y', u'%d %B, %Y']
DEBUG	True
DEBUG_LOG_FILE	'logs/log_debug.txt'
DEBUG_PROPAGATE_EXCEPTIONS	False
DEBUG_TOOLBAR_CONFIG	{'INTERCEPT_REDIRECTS': False}
DECIMAL_SEPARATOR	u'.'
DEFAULT_CHARSET	u'utf-8'
DEFAULT_CONTENT_TYPE	u'text/html'
DEFAULT_EXCEPTION_REPORTER_FILTER	u'django.views.debug.SafeExceptionReporterFilter'
DEFAULT_FILE_STORAGE	u'django.core.files.storage.FileSystemStorage'
DEFAULT_FROM_EMAIL	u'webmaster@localhost'
DEFAULT_INDEX_TABLESPACE	u''
DEFAULT_TABLESPACE	u''
DISALLOWED_USER_AGENTS	[]
EMAIL_BACKEND	'django.core.mail.backends.smtp.EmailBackend'
EMAIL_HOST	'smtp.gmail.com'
EMAIL_HOST_PASSWORD	u'*****'
EMAIL_HOST_USER	'fablbtuer@gmail.com'
EMAIL_PORT	587
EMAIL_SSL_CERTFILE	None
EMAIL_SSL_KEYFILE	u'*****'
EMAIL_SUBJECT_PREFIX	u'[Django] '
EMAIL_TIMEOUT	None
EMAIL_USE_LOCALTIME	False
EMAIL_USE_SSL	False
EMAIL_USE_TLS	True
FILE_CHARSET	u'utf-8'
FILE_UPLOAD_DIRECTORY_PERMISSIONS	None
FILE_UPLOAD_HANDLERS	[u'django.core.files.uploadhandler.MemoryFileUploadHandler', u'django.core.files.uploadhandler.TemporaryFileUploadHandler']
FILE_UPLOAD_MAX_MEMORY_SIZE	2621440
FILE_UPLOAD_PERMISSIONS	None
FILE_UPLOAD_TEMP_DIR	None
FIRST_DAY_OF_WEEK	0
FIXTURE_DIRS	[]
FORCE_SCRIPT_NAME	None
FORMAT_MODULE_PATH	None
FORM_RENDERER	u'django.forms.renderers.DjangoTemplates'
IGNORABLE_404_URLS	[]
INSTALLED_APPS	['tuerstatus.apps.TuerstatusConfig', 'rest_framework', 'django.contrib.admin', 'django.contrib.auth', 'django.contrib.contenttypes', 'django.contrib.sessions', 'django.contrib.messages', 'django.contrib.staticfiles', 'debug_toolbar']
INTERNAL_IPS	('127.0.0.1',)
LANGUAGES	[(u'af', u'Afrikaans'), (u'ar', u'Arabic'), (u'ast', u'Asturian'), (u'az', u'Azerbaijani'), (u'bg', u'Bulgarian'), (u'be', u'Belarusian'),

Setting

Value

```

(u'bn', u'Bengali'),
(u'br', u'Breton'),
(u'bs', u'Bosnian'),
(u'ca', u'Catalan'),
(u'cs', u'Czech'),
(u'cy', u'Welsh'),
(u'da', u'Danish'),
(u'de', u'German'),
(u'dsb', u'Lower Sorbian'),
(u'el', u'Greek'),
(u'en', u'English'),
(u'en-au', u'Australian English'),
(u'en-gb', u'British English'),
(u'eo', u'Esperanto'),
(u'es', u'Spanish'),
(u'es-ar', u'Argentinian Spanish'),
(u'es-co', u'Colombian Spanish'),
(u'es-mx', u'Mexican Spanish'),
(u'es-ni', u'Nicaraguan Spanish'),
(u'es-ve', u'Venezuelan Spanish'),
(u'et', u'Estonian'),
(u'eu', u'Basque'),
(u'fa', u'Persian'),
(u'fi', u'Finnish'),
(u'fr', u'French'),
(u'fy', u'Frisian'),
(u'ga', u'Irish'),
(u'gd', u'Scottish Gaelic'),
(u'gl', u'Galician'),
(u'he', u'Hebrew'),
(u'hi', u'Hindi'),
(u'hr', u'Croatian'),
(u'hsb', u'Upper Sorbian'),
(u'hu', u'Hungarian'),
(u'ia', u'Interlingua'),
(u'id', u'Indonesian'),
(u'io', u'Ido'),
(u'is', u'Icelandic'),
(u'it', u'Italian'),
(u'ja', u'Japanese'),
(u'ka', u'Georgian'),
(u'kk', u'Kazakh'),
(u'km', u'Khmer'),
(u'kn', u'Kannada'),
(u'ko', u'Korean'),
(u'lb', u'Luxembourgish'),
(u'lt', u'Lithuanian'),
(u'lv', u'Latvian'),
(u'mk', u'Macedonian'),
(u'ml', u'Malayalam'),
(u'mn', u'Mongolian'),
(u'mr', u'Marathi'),
(u'my', u'Burmese'),
(u'nb', u'Norwegian Bokm\xe5l'),
(u'ne', u'Nepali'),
(u'nl', u'Dutch'),
(u'nn', u'Norwegian Nynorsk'),
(u'os', u'Ossetic'),
(u'pa', u'Punjabi'),
(u'pl', u'Polish'),
(u'pt', u'Portuguese'),
(u'pt-br', u'Brazilian Portuguese'),
(u'ro', u'Romanian'),
(u'ru', u-Russian'),
(u'sk', u'Slovak'),
(u'sl', u'Slovenian'),
(u'sq', u'Albanian'),
(u'sr', u'Serbian'),
(u'sr-latn', u'Serbian Latin'),
(u'sv', u'Swedish'),
(u'sw', u'Swahili'),
(u'ta', u'Tamil'),
(u'te', u'Telugu'),
(u'th', u'Thai'),
(u'tr', u'Turkish'),
(u'tt', u'Tatar'),
(u'udm', u'Udmurt'),
(u'uk', u'Ukrainian'),
(u'ur', u'Urdu'),
(u'vi', u'Vietnamese'),
(u'zh-hans', u'Simplified Chinese'),
(u'zh-hant', u'Traditional Chinese'))
LANGUAGES_BIDI [u'he', u'ar', u'fa', u'ur']
LANGUAGE_CODE 'de-de'
LANGUAGE_COOKIE_AGE None
LANGUAGE_COOKIE_DOMAIN None
LANGUAGE_COOKIE_NAME 'django_language'
LANGUAGE_COOKIE_PATH '/'
LOCALE_PATHS []
LOGGING {
  'disable_existing_loggers': False,
  'filters': {'require_debug_false': {'()':
    'django.utils.log.RequireDebugFalse'},
    'require_debug_true': {'()':
    'django.utils.log.RequireDebugTrue'}},
  'formatters': {'main_formatter': {'datefmt': '%Y-%m-%d %H:%M:%S',
    'format': '%(levelname)s:%(name)s
%(message)s %(asctime)s; %(filename)s:%(lineno)d'}},
  'handlers': {'console': {'class': 'logging.StreamHandler',
    'filters': ['require_debug_true'],
    'formatter': 'main_formatter',
    'level': 'DEBUG'},
    'debug_file': {'backupCount': 7,
    'class':
    'logging.handlers.RotatingFileHandler',
    'filename': 'logs/log_debug.txt',
    'filters': ['require_debug_true'],
    'formatter': 'main_formatter',
    'level': 'DEBUG',
    'maxBytes': 5242880},
    'mail_admins': {'class':
    'django.utils.log.AdminEmailHandler',

```

Setting	Value
	'filters': ['require_debug_false'], 'level': 'ERROR'}, 'null': {'class': 'logging.NullHandler'}, 'production_file': {'backupCount': 7, 'class': 'logging.handlers.RotatingFileHandler', 'filename': 'logs/log.txt', 'filters': ['require_debug_false'], 'formatter': 'main_formatter', 'level': 'INFO', 'maxBytes': 5242880}, 'loggers': {'': {'handlers': ['console', 'production_file', 'debug_file'], 'level': 'DEBUG'}, 'django': {'handlers': ['null'], 'propagate': True}, 'django.request': {'handlers': ['mail_admins', 'console'], 'level': 'ERROR', 'propagate': True}, 'py.warnings': {'handlers': ['null'], 'propagate': True}}, 'version': 1}
LOGGING_CONFIG	u'logging.config.dictConfig'
LOGIN_REDIRECT_URL	u'/accounts/profile/'
LOGIN_URL	u'/accounts/login/'
LOGOUT_REDIRECT_URL	None
LOG_FILE	'logs/log.txt'
MANAGERS	[]
MEDIA_ROOT	u''
MEDIA_URL	u''
MESSAGE_STORAGE	u'django.contrib.messages.storage.fallback.FallbackStorage'
MIDDLEWARE	['django.middleware.security.SecurityMiddleware', 'django.contrib.sessions.middleware.SessionMiddleware', 'django.middleware.common.CommonMiddleware', 'django.middleware.csrf.CsrfViewMiddleware', 'django.contrib.auth.middleware.AuthenticationMiddleware', 'django.contrib.messages.middleware.MessageMiddleware', 'django.middleware.clickjacking.XFrameOptionsMiddleware', 'debug_toolbar.middleware.DebugToolbarMiddleware']
MIDDLEWARE_CLASSES	[u'django.middleware.common.CommonMiddleware', u'django.middleware.csrf.CsrfViewMiddleware']
MIGRATION_MODULES	{}
MONTH_DAY_FORMAT	u'F j'
NUMBER_GROUPING	0
PASSWORD_HASHERS	u'*****'
PASSWORD_RESET_TIMEOUT_DAYS	u'*****'
PREPEND_WWW	False
PROJECT_ROOT	u'/src/CustomTuer'
REQUEST_LOG_FILE	'logs/log_request.txt'
ROOT_URLCONF	'CustomTuer.urls'
SECRET_KEY	u'*****'
SECURE_BROWSER_XSS_FILTER	False
SECURE_CONTENT_TYPE_NOSNIFF	False
SECURE_HSTS_INCLUDE_SUBDOMAINS	False
SECURE_HSTS_PRELOAD	False
SECURE_HSTS_SECONDS	0
SECURE_PROXY_SSL_HEADER	None
SECURE_REDIRECT_EXEMPT	[]
SECURE_SSL_HOST	None
SECURE_SSL_REDIRECT	False
SERVER_EMAIL	u'root@localhost'
SESSION_CACHE_ALIAS	u'default'
SESSION_COOKIE_AGE	1209600
SESSION_COOKIE_DOMAIN	None
SESSION_COOKIE_HTTPONLY	True
SESSION_COOKIE_NAME	u'sessionid'
SESSION_COOKIE_PATH	u'/'
SESSION_COOKIE_SECURE	False
SESSION_ENGINE	u'django.contrib.sessions.backends.db'
SESSION_EXPIRE_AT_BROWSER_CLOSE	False
SESSION_FILE_PATH	None
SESSION_SAVE_EVERY_REQUEST	False
SESSION_SERIALIZER	u'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS_MODULE	'CustomTuer.settings'
SHORT_DATETIME_FORMAT	u'm/d/Y P'
SHORT_DATE_FORMAT	u'm/d/Y'
SIGNING_BACKEND	u'django.core.signing.TimestampSigner'
SILENCED_SYSTEM_CHECKS	[u'urls.W005']
STATICFILES_DIRS	[]
STATICFILES_FINDERS	[u'django.contrib.staticfiles.finders.FileSystemFinder', u'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATICFILES_STORAGE	u'django.contrib.staticfiles.storage.StaticFilesStorage'
STATIC_ROOT	u'/src/tuerstatus/static_files'
STATIC_URL	u'/static/'
TEMPLATES	[{'APP_DIRS': True, 'BACKEND': 'django.template.backends.django.DjangoTemplates', 'DIRS': [u'/src/templates'], 'OPTIONS': {'context_processors': [u'django.template.context_processors.debug', u'django.template.context_processors.request', u'django.contrib.auth.context_processors.auth', u'django.contrib.messages.context_processors.messages']}]}
TEST_NON_SERIALIZED_APPS	[]
TEST_RUNNER	u'django.test.runner.DiscoverRunner'

Setting	Value
THOUSAND_SEPARATOR	u','
TIME_FORMAT	u'P'
TIME_INPUT_FORMATS	[u'%H:%M:%S', u'%H:%M:%S.%f', u'%H:%M']
TIME_ZONE	'CET'
USE_ETAGS	False
USE_I18N	True
USE_L10N	True
USE_THOUSAND_SEPARATOR	False
USE_TZ	False
USE_X_FORWARDED_HOST	False
USE_X_FORWARDED_PORT	False
WSGI_APPLICATION	'CustomTuer.wsgi.application'
X_FRAME_OPTIONS	u'SAMEORIGIN'
YEAR_MONTH_FORMAT	u'F Y'

You're seeing this error because you have `DEBUG = True` in your Django settings file. Change that to `False`, and Django will display a standard page generated by the handler for this status code.