

ValueError at /getDate/52/

invalid literal for int() with base 10: ''

Request Method: POST
Request URL: http://tuerstatus.fablab-luebeck.de/getDate/52/
Django Version: 1.11.7
Exception Type: ValueError
Exception Value: invalid literal for int() with base 10: ''
Exception Location: ./tuerstatus/views.py in add_hardware_to_text, line 683
Python Executable: /usr/local/bin/uwsgi
Python Version: 2.7.14
Python Path: ['',
'/usr/local/lib/python2.7.zip',
'/usr/local/lib/python2.7',
'/usr/local/lib/python2.7/plat-linux2',
'/usr/local/lib/python2.7/lib-tk',
'/usr/local/lib/python2.7/lib-old',
'/usr/local/lib/python2.7/lib-dynload',
'/usr/local/lib/python2.7/site-packages']
Server time: Fr, 6 Apr 2018 07:59:27 +0200

Traceback [Switch to copy-and-paste view](#)

/usr/local/lib/python2.7/site-packages/django/core/handlers/exception.py in inner

```
41.         response = get_response(request) ...
```

► Local vars

/usr/local/lib/python2.7/site-packages/django/core/handlers/base.py in _get_response

```
187.         response = self.process_exception_by_middleware(e, request) ...
```

► Local vars

/usr/local/lib/python2.7/site-packages/django/core/handlers/base.py in _get_response

```
185.         response = wrapped_callback(request, *callback_args, **callback_kwargs) ...
```

► Local vars

./tuerstatus/views.py in date_detail_desktop

```
503.         update_forum() ...
```

► Local vars

./tuerstatus/views.py in update_forum

```
605.         text = add_hardware_to_text(text, d) ...
```

► Local vars

./tuerstatus/views.py in add_hardware_to_text

```
683.         if int(event.usedHardware) == 0: ...
```

► Local vars

Request information

USER Natascha

GET No GET data

POST

| Variable | Value |
|------------|--|
| datepicker | u'06.04.2018 14:00 - 06.04.2018 18:00' |
| cncd | u'0' |
| elektro | u'0' |
| laser | u'0' |
| titel | u'' |
| ulti | u'0' |
| textillab | u'0' |
| reprap | u'0' |
| labType | u'1' |
| cnc | u'0' |
| starttime | u'15:00' |
| date | u'2018-04-06' |
| details | u'' |

| Variable | Value |
|---------------------|---|
| csrfmiddlewaretoken | u'hVC309ESCs1l7twdGj0KNwFJZeCZVC1zWxmUxDzzYs7u9Qm3UA1eP9Ae8r0IViog' |
| endtime | u'18:00' |
| sla | u'0' |
| 3d | u'0' |

FILES

No FILES data

COOKIES

| Variable | Value |
|-----------|--|
| csrftoken | 'quKseS80EM971Rwn3pc40g9NAhBvR7dV56ujLm3H0MVgnemdhGpy2T4iJuNeRNAC' |
| sessionid | '3xb1ih6qy7bcx6p65mtjhi5crv7nz355' |

META

| Variable | Value |
|--------------------------------|--|
| CONTENT_LENGTH | '281' |
| CONTENT_TYPE | 'application/x-www-form-urlencoded' |
| CSRF_COOKIE | 'quKseS80EM971Rwn3pc40g9NAhBvR7dV56ujLm3H0MVgnemdhGpy2T4iJuNeRNAC' |
| HTTP_ACCEPT | 'text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8' |
| HTTP_ACCEPT_ENCODING | 'gzip, deflate' |
| HTTP_ACCEPT_LANGUAGE | 'de,de-DE;q=0.8,en-US;q=0.5,en;q=0.3' |
| HTTP_CONNECTION | 'Keep-Alive' |
| HTTP_COOKIE | 'csrftoken=quKseS80EM971Rwn3pc40g9NAhBvR7dV56ujLm3H0MVgnemdhGpy2T4iJuNeRNAC; sessionid=3xb1ih6qy7bcx6p65mtjhi5crv7nz355' |
| HTTP_DNT | '1' |
| HTTP_HOST | 'tuerstatus.fablab-luebeck.de' |
| HTTP_REFERER | 'http://tuerstatus.fablab-luebeck.de/getDate/52/' |
| HTTP_UPGRADE_INSECURE_REQUESTS | '1' |
| HTTP_USER_AGENT | 'Mozilla/5.0 (Android 6.0.1; Mobile; rv:59.0) Gecko/59.0 Firefox/59.0' |
| HTTP_X_FORWARDED_FOR | '89.245.125.117' |
| HTTP_X_FORWARDED_HOST | 'tuerstatus.fablab-luebeck.de' |
| HTTP_X_FORWARDED_SERVER | 'tuerstatus.fablab-luebeck.de' |
| PATH_INFO | u'/getDate/52/' |
| QUERY_STRING | '' |
| REMOTE_ADDR | '172.17.0.1' |
| REMOTE_PORT | '50840' |
| REQUEST_METHOD | 'POST' |
| REQUEST_URI | u'/getDate/52/' |
| SCRIPT_NAME | u'' |
| SERVER_NAME | '8ee0cf32490d' |
| SERVER_PORT | '80' |
| SERVER_PROTOCOL | 'HTTP/1.1' |
| UWSGI_ROUTER | 'http' |
| uwsgi.core | 0 |
| uwsgi.node | '8ee0cf32490d' |
| uwsgi.version | '2.0.16' |
| wsgi.errors | <open file 'wsgi_errors', mode 'w' at 0x7f527eee6a50> |
| wsgi.file_wrapper | '' |
| wsgi.input | <uwsgi._Input object at 0x7f52718a2a38> |
| wsgi.multiprocess | True |
| wsgi.multithread | True |
| wsgi.run_once | False |
| wsgi.url_scheme | 'http' |
| wsgi.version | (1, 0) |

Settings

Using settings module CustomTuer.settings

| Setting | Value |
|-----------------------------|--|
| ABSOLUTE_URL_OVERRIDES | {} |
| ADMINS | [] |
| ALLOWED_HOSTS | ['127.0.0.1', 'tuerstatus.fablab-luebeck.de', '*'] |
| APPEND_SLASH | True |
| AUTHENTICATION_BACKENDS | [u'django.contrib.auth.backends.ModelBackend'] |
| AUTH_PASSWORD_VALIDATORS | u'*****' |
| AUTH_USER_MODEL | u'auth.User' |
| BASE_DIR | u'/src' |
| CACHES | {u'default': {u'BACKEND': u'django.core.cache.backends.locmem.LocMemCache'}} |
| CACHE_MIDDLEWARE_ALIAS | u'default' |
| CACHE_MIDDLEWARE_KEY_PREFIX | u'*****' |
| CACHE_MIDDLEWARE_SECONDS | 600 |
| CSRF_COOKIE_AGE | 31449600 |
| CSRF_COOKIE_DOMAIN | None |
| CSRF_COOKIE_HTTPONLY | False |
| CSRF_COOKIE_NAME | u'csrftoken' |
| CSRF_COOKIE_PATH | u'/' |
| CSRF_COOKIE_SECURE | False |
| CSRF_FAILURE_VIEW | u'django.views.csrf.csrf_failure' |
| CSRF_HEADER_NAME | u'HTTP_X_CSRFTOKEN' |
| CSRF_TRUSTED_ORIGINS | [] |
| CSRF_USE_SESSIONS | False |
| DATABASES | {'default': {'ATOMIC_REQUESTS': False, 'AUTOCOMMIT': True, 'CONN_MAX_AGE': 0, 'ENGINE': 'django.db.backends.mysql', 'HOST': '172.17.0.1', 'NAME': 'tuerstatus', 'OPTIONS': {'read_default_file': '/etc/mysql/my.cnf'}, |

| Setting | Value |
|-----------------------------------|--|
| | 'PASSWORD': u'*****', 'PORT': '3306', 'TEST': {'CHARSET': None, 'COLLATION': None, 'MIRROR': None, 'NAME': None}, 'TIME_ZONE': None, 'USER': 'tuerstatus'}}} |
| DATABASE_ROUTERS | [] |
| DATA_UPLOAD_MAX_MEMORY_SIZE | 2621440 |
| DATA_UPLOAD_MAX_NUMBER_FIELDS | 1000 |
| DATETIME_FORMAT | u'N j, Y, P' |
| DATETIME_INPUT_FORMATS | [u'%Y-%m-%d %H:%M:%S', u'%Y-%m-%d %H:%M:%S.%f', u'%Y-%m-%d %H:%M', u'%Y-%m-%d', u'%m/%d/%Y %H:%M:%S', u'%m/%d/%Y %H:%M:%S.%f', u'%m/%d/%Y %H:%M', u'%m/%d/%Y', u'%m/%d/%y %H:%M:%S', u'%m/%d/%y %H:%M:%S.%f', u'%m/%d/%y %H:%M', u'%m/%d/%y'] |
| DATE_FORMAT | u'N j, Y' |
| DATE_INPUT_FORMATS | [u'%Y-%m-%d', u'%m/%d/%Y', u'%m/%d/%y', u'%b %d %Y', u'%b %d, %Y', u'%d %b %Y', u'%d %b, %Y', u'%B %d %Y', u'%B %d, %Y', u'%d %B %Y', u'%d %B, %Y'] |
| DEBUG | True |
| DEBUG_LOG_FILE | 'logs/log_debug.txt' |
| DEBUG_PROPAGATE_EXCEPTIONS | False |
| DEBUG_TOOLBAR_CONFIG | {'INTERCEPT_REDIRECTS': False} |
| DECIMAL_SEPARATOR | u'.' |
| DEFAULT_CHARSET | u'utf-8' |
| DEFAULT_CONTENT_TYPE | u'text/html' |
| DEFAULT_EXCEPTION_REPORTER_FILTER | u'django.views.debug.SafeExceptionReporterFilter' |
| DEFAULT_FILE_STORAGE | u'django.core.files.storage.FileSystemStorage' |
| DEFAULT_FROM_EMAIL | u'webmaster@localhost' |
| DEFAULT_INDEX_TABLESPACE | u'' |
| DEFAULT_TABLESPACE | u'' |
| DISALLOWED_USER_AGENTS | [] |
| EMAIL_BACKEND | 'django.core.mail.backends.smtp.EmailBackend' |
| EMAIL_HOST | 'smtp.gmail.com' |
| EMAIL_HOST_PASSWORD | u'*****' |
| EMAIL_HOST_USER | 'fablbtuer@gmail.com' |
| EMAIL_PORT | 587 |
| EMAIL_SSL_CERTFILE | None |
| EMAIL_SSL_KEYFILE | u'*****' |
| EMAIL_SUBJECT_PREFIX | u'[Django] ' |
| EMAIL_TIMEOUT | None |
| EMAIL_USE_LOCALTIME | False |
| EMAIL_USE_SSL | False |
| EMAIL_USE_TLS | True |
| FILE_CHARSET | u'utf-8' |
| FILE_UPLOAD_DIRECTORY_PERMISSIONS | None |
| FILE_UPLOAD_HANDLERS | [u'django.core.files.uploadhandler.MemoryFileUploadHandler', u'django.core.files.uploadhandler.TemporaryFileUploadHandler'] |
| FILE_UPLOAD_MAX_MEMORY_SIZE | 2621440 |
| FILE_UPLOAD_PERMISSIONS | None |
| FILE_UPLOAD_TEMP_DIR | None |
| FIRST_DAY_OF_WEEK | 0 |
| FIXTURE_DIRS | [] |
| FORCE_SCRIPT_NAME | None |
| FORMAT_MODULE_PATH | None |
| FORM_RENDERER | u'django.forms.renderers.DjangoTemplates' |
| IGNORABLE_404_URLS | [] |
| INSTALLED_APPS | ['tuerstatus.apps.TuerstatusConfig', 'rest_framework', 'django.contrib.admin', 'django.contrib.auth', 'django.contrib.contenttypes', 'django.contrib.sessions', 'django.contrib.messages', 'django.contrib.staticfiles', 'debug_toolbar'] |
| INTERNAL_IPS | ('127.0.0.1',) |
| LANGUAGES | [(u'af', u'Afrikaans'), (u'ar', u'Arabic'), (u'ast', u'Asturian'), (u'az', u'Azerbaijani'), (u'bg', u'Bulgarian'), (u'be', u'Belarusian'), (u'bn', u'Bengali'), (u'br', u'Breton'), (u'bs', u'Bosnian'), (u'ca', u'Catalan'), (u'cs', u'Czech'), (u'cy', u'Welsh'), (u'da', u'Danish'), (u'de', u'German'), |

Setting

Value

```
(u'dsb', u'Lower Sorbian'),
(u'el', u'Greek'),
(u'en', u'English'),
(u'en-au', u'Australian English'),
(u'en-gb', u'British English'),
(u'eo', u'Esperanto'),
(u'es', u'Spanish'),
(u'es-ar', u'Argentinian Spanish'),
(u'es-co', u'Colombian Spanish'),
(u'es-mx', u'Mexican Spanish'),
(u'es-ni', u'Nicaraguan Spanish'),
(u'es-ve', u'Venezuelan Spanish'),
(u'et', u'Estonian'),
(u'eu', u'Basque'),
(u'fa', u'Persian'),
(u'fi', u'Finnish'),
(u'fr', u'French'),
(u'fy', u'Frisian'),
(u'ga', u'Irish'),
(u'gd', u'Scottish Gaelic'),
(u'gl', u'Galician'),
(u'he', u'Hebrew'),
(u'hi', u'Hindi'),
(u'hr', u'Croatian'),
(u'hsb', u'Upper Sorbian'),
(u'hu', u'Hungarian'),
(u'ia', u'Interlingua'),
(u'id', u'Indonesian'),
(u'io', u'Ido'),
(u'is', u'Icelandic'),
(u'it', u'Italian'),
(u'ja', u'Japanese'),
(u'ka', u'Georgian'),
(u'kk', u'Kazakh'),
(u'km', u'Khmer'),
(u'kn', u'Kannada'),
(u'ko', u'Korean'),
(u'lb', u'Luxembourgish'),
(u'lt', u'Lithuanian'),
(u'lv', u'Latvian'),
(u'mk', u'Macedonian'),
(u'ml', u'Malayalam'),
(u'mn', u'Mongolian'),
(u'mr', u'Marathi'),
(u'my', u'Burmese'),
(u'nb', u'Norwegian Bokm\xe51'),
(u'ne', u'Nepali'),
(u'nl', u'Dutch'),
(u'nn', u'Norwegian Nynorsk'),
(u'os', u'Ossetic'),
(u'pa', u'Punjabi'),
(u'pl', u'Polish'),
(u'pt', u'Portuguese'),
(u'pt-br', u'Brazilian Portuguese'),
(u'ro', u'Romanian'),
(u'ru', u-Russian'),
(u'sk', u'Slovak'),
(u'sl', u'Slovenian'),
(u'sq', u'Albanian'),
(u'sr', u'Serbian'),
(u'sr-latn', u'Serbian Latin'),
(u'sv', u'Swedish'),
(u'sw', u'Swahili'),
(u'ta', u'Tamil'),
(u'te', u'Telugu'),
(u'th', u'Thai'),
(u'tr', u'Turkish'),
(u'tt', u'Tatar'),
(u'udm', u'Udmurt'),
(u'uk', u'Ukrainian'),
(u'ur', u'Urdu'),
(u'vi', u'Vietnamese'),
(u'zh-hans', u'Simplified Chinese'),
(u'zh-hant', u'Traditional Chinese'))

LANGUAGES_BIDI [u'he', u'ar', u'fa', u'ur']
LANGUAGE_CODE 'de-de'
LANGUAGE_COOKIE_AGE None
LANGUAGE_COOKIE_DOMAIN None
LANGUAGE_COOKIE_NAME u'django_language'
LANGUAGE_COOKIE_PATH u '/'
LOCALE_PATHS []
LOGGING {'disable_existing_loggers': False,
'filters': {'require_debug_false': {'()':
'django.utils.log.RequireDebugFalse'},
'require_debug_true': {'()':
'django.utils.log.RequireDebugTrue'}}},
'formatters': {'main_formatter': {'datefmt': '%Y-%m-%d %H:%M:%S',
'format': '%(levelname)s:%(name)s:
%(message)s %(asctime)s; %(filename)s:%(lineno)d'}},
'handlers': {'console': {'class': 'logging.StreamHandler',
'filters': ['require_debug_true'],
'formatter': 'main_formatter',
'level': 'DEBUG'},
'debug_file': {'backupCount': 7,
'class':
'logging.handlers.RotatingFileHandler',
'filename': 'logs/log_debug.txt',
'filters': ['require_debug_true'],
'formatter': 'main_formatter',
'level': 'DEBUG',
'maxBytes': 5242880},
'mail_admins': {'class':
'django.utils.log.AdminEmailHandler',
'filters': ['require_debug_false'],
'level': 'ERROR'},
'null': {'class': 'logging.NullHandler'},
'production_file': {'backupCount': 7,
'class':
'logging.handlers.RotatingFileHandler',
'filename': 'logs/log.txt',
'filters': ['require_debug_false'],
```

| Setting | Value |
|---------------------------------|--|
| | 'formatter': 'main_formatter', 'level': 'INFO', 'maxBytes': 5242880}}, 'loggers': {'': {'handlers': ['console', 'production_file', 'debug_file'], 'level': 'DEBUG'}, 'django': {'handlers': ['null'], 'propagate': True}, 'django.request': {'handlers': ['mail_admins', 'console'], 'level': 'ERROR', 'propagate': True}, 'py.warnings': {'handlers': ['null'], 'propagate': True}}, 'version': 1} |
| LOGGING_CONFIG | u'logging.config.dictConfig' |
| LOGIN_REDIRECT_URL | u'/accounts/profile/' |
| LOGIN_URL | u'/accounts/login/' |
| LOGOUT_REDIRECT_URL | None |
| LOG_FILE | 'logs/log.txt' |
| MANAGERS | [] |
| MEDIA_ROOT | u'' |
| MEDIA_URL | u'' |
| MESSAGE_STORAGE | u'django.contrib.messages.storage.fallback.FallbackStorage' |
| MIDDLEWARE | ['django.middleware.security.SecurityMiddleware', 'django.contrib.sessions.middleware.SessionMiddleware', 'django.middleware.common.CommonMiddleware', 'django.middleware.csrf.CsrfViewMiddleware', 'django.contrib.auth.middleware.AuthenticationMiddleware', 'django.contrib.messages.middleware.MessageMiddleware', 'django.middleware.clickjacking.XFrameOptionsMiddleware', 'debug_toolbar.middleware.DebugToolbarMiddleware'] |
| MIDDLEWARE_CLASSES | [u'django.middleware.common.CommonMiddleware', u'django.middleware.csrf.CsrfViewMiddleware'] |
| MIGRATION_MODULES | {} |
| MONTH_DAY_FORMAT | u'F j' |
| NUMBER_GROUPING | 0 |
| PASSWORD_HASHERS | u'*****' |
| PASSWORD_RESET_TIMEOUT_DAYS | u'*****' |
| PREPEND_WWW | False |
| PROJECT_ROOT | u'/src/CustomTuer' |
| REQUEST_LOG_FILE | 'logs/log_request.txt' |
| ROOT_URLCONF | 'CustomTuer.urls' |
| SECRET_KEY | u'*****' |
| SECURE_BROWSER_XSS_FILTER | False |
| SECURE_CONTENT_TYPE_NOSNIFF | False |
| SECURE_HSTS_INCLUDE_SUBDOMAINS | False |
| SECURE_HSTS_PRELOAD | False |
| SECURE_HSTS_SECONDS | 0 |
| SECURE_PROXY_SSL_HEADER | None |
| SECURE_REDIRECT_EXEMPT | [] |
| SECURE_SSL_HOST | None |
| SECURE_SSL_REDIRECT | False |
| SERVER_EMAIL | u'root@localhost' |
| SESSION_CACHE_ALIAS | u'default' |
| SESSION_COOKIE_AGE | 1209600 |
| SESSION_COOKIE_DOMAIN | None |
| SESSION_COOKIE_HTTPONLY | True |
| SESSION_COOKIE_NAME | u'sessionid' |
| SESSION_COOKIE_PATH | u'/' |
| SESSION_COOKIE_SECURE | False |
| SESSION_ENGINE | u'django.contrib.sessions.backends.db' |
| SESSION_EXPIRE_AT_BROWSER_CLOSE | False |
| SESSION_FILE_PATH | None |
| SESSION_SAVE_EVERY_REQUEST | False |
| SESSION_SERIALIZER | u'django.contrib.sessions.serializers.JSONSerializer' |
| SETTINGS_MODULE | 'CustomTuer.settings' |
| SHORT_DATETIME_FORMAT | u'm/d/Y P' |
| SHORT_DATE_FORMAT | u'm/d/Y' |
| SIGNING_BACKEND | u'django.core.signing.TimestampSigner' |
| SILENCED_SYSTEM_CHECKS | [u'urls.W005'] |
| STATICFILES_DIRS | [] |
| STATICFILES_FINDERS | [u'django.contrib.staticfiles.finders.FileSystemFinder', u'django.contrib.staticfiles.finders.AppDirectoriesFinder'] |
| STATICFILES_STORAGE | u'django.contrib.staticfiles.storage.StaticFilesStorage' |
| STATIC_ROOT | u'/src/tuerstatus/static_files' |
| STATIC_URL | u'/static/' |
| TEMPLATES | [{'APP_DIRS': True, 'BACKEND': 'django.template.backends.django.DjangoTemplates', 'DIRS': [u'/src/templates'], 'OPTIONS': {'context_processors': [u'django.template.context_processors.debug', 'django.template.context_processors.request', 'django.contrib.auth.context_processors.auth', 'django.contrib.messages.context_processors.messages']}]} |
| TEST_NON_SERIALIZED_APPS | [] |
| TEST_RUNNER | u'django.test.runner.DiscoverRunner' |
| THOUSAND_SEPARATOR | u',' |
| TIME_FORMAT | u'P' |
| TIME_INPUT_FORMATS | [u'%H:%M:%S', u'%H:%M:%S.%f', u'%H:%M'] |
| TIME_ZONE | 'CET' |
| USE_ETAGS | False |
| USE_I18N | True |

| Setting | Value |
|------------------------|-------------------------------|
| USE_L10N | True |
| USE_THOUSAND_SEPARATOR | False |
| USE_TZ | False |
| USE_X_FORWARDED_HOST | False |
| USE_X_FORWARDED_PORT | False |
| WSGI_APPLICATION | 'CustomTuer.wsgi.application' |
| X_FRAME_OPTIONS | u'SAMEORIGIN' |
| YEAR_MONTH_FORMAT | u'F Y' |

You're seeing this error because you have `DEBUG = True` in your Django settings file. Change that to `False`, and Django will display a standard page generated by the handler for this status code.